

Application

The PROSE Wall-mounted cabinets are designed to save floor space while providing an economical way to protect network equipment from dust, unauthorized tampering, and other potential hazards. They feature excellent cable management capabilities, easy access from the rear, and come with fully adjustable mounting rail systems suitable for a variety of applications. Depending on the specific usage scenario, PROSE offers split-type wall-mounted cabinets with a weight capacity of 80kg to meet customers' varying needs in terms of cost, space utilization, and portability.



Wall-mounted cabinet (Glass door)




Wall-mounted cabinet (Mesh door)

Characteristic

- Provide a variety of wall-mounted cabinet sizes and components, flexible configuration according to different requirements.
- Multiple wiring channels at upper, lower and rear to facilitate on-site wiring.
- There are a variety of wall mounting methods for rotation, convenient operation.
- Built-in side door, tool free installation and disassembly, optional lock anti-disassembly design.
- The front door can be quickly disassembled without tools and can be exchanged between left and right.
- The opening Angle is 180° , which is convenient for equipment installation and maintenance.
- The cabinet is equipped with grounding copper nails in many places to facilitate equipment grounding.
- Optional casters or adjustable feet, used to fix on the ground.
- Electrostatic spray in line with European RoHS environmental standards.


Wall-mounted Cabinet Structure

Wall-mounted cabinet (Glass door) structure



- ① Top Panel
- ② Bottom Panel
- ③ Frame
- ④ Mounting Rails
- ⑤ Side Panel
- ⑥ Rear Panel
- ⑦ Guide Rails
- ⑧ Front Door (Glass)

Wall-mounted cabinet (Mesh door) structure



- ① Top Panel
- ② Bottom Panel
- ③ Frame
- ④ Mounting Rails
- ⑤ Side panel
- ⑥ Rear Panel
- ⑦ Guide Rails
- ⑧ Front Door Mesh

Main Specifications

1. Rack Unit Mechanical specifications

Item	Wall-mounted cabinet
Static Load	60kg static load rating
Color	Black, RAL9005(Optional Gary RAL7035)
Standard	ANSI/EIA RS-310-D/IEC297-2/ DIN41494;PART1 & DIN41494;PART7 /ETSI /GB/T3047.2-92/ ASTM D 1037 /ANSI A208.1 & ANSI A208.2, UL2416, UL60950, RoHS, REACH
Frame Structure	Detachable
Mounting rails	4pcs, 1.5mm
Frame	SPCC,0.8mm
Top panels	SPCC, 0.8mm
Bottom Panel	SPCC, 0.8mm
Front Door	Glass door (or Mesh door), round lock or Spring lock
Rear Panel	Non-removable with hanging plate
Side Door	Tool-free installation (Optional round lock)
Fan	2pcs, AC220V
Cable Entry	Brush Panel on top & bottom cable Entry
Guide Rail	Optional
PDU	Optional
Accessories	Philip screws and Nuts 30 sets
Protection	IP20
Surface Finish	Powder Coated

2. Rack Unit Dimensions specifications

Item	Height(U)	Width(mm)	Depth(mm)	Height(mm)
1	4	600	450	281
2			550	
3			600	
4	6	600	450	370
5			550	
6			600	
7	9	600	450	503
8			550	
9			600	
10	12	600	550	636
11			600	
12	15	600	550	770
13			600	
14	18	600	550	903
15			600	

Note: Size and capacity can be customized

Ordering Information


No	PN	Description	Volume/CBM
1	WR60-09645-SGY-31-BD00	WR60 Cabinet,9U,600W*450D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
2	WR60-12660-SGY-31-BD00	WR60 Cabinet,12U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
3	WR60-15660-SGY-31-BD00	WR60 Cabinet,15U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
4	WR60-18660-SGY-31-BD00	WR60 Cabinet,18U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
5	WR60-04660-SGY-31-BD00	WR60 Cabinet,4U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
6	WR60-04645-SGY-31-BD00	WR60 Cabinet,4U,600W*450D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
7	WR60-04655-SGY-31-BD00	WR60 Cabinet,4U,600W*550D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
8	WR60-06660-SGY-31-BD00	WR60 Cabinet,6U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
9	WR60-06655-SGY-31-BD00	WR60 Cabinet,6U,600W*550D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
10	WR60-06660-SGY-31-BD00	WR60 Cabinet,6U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
11	WR60-09655-SGY-31-BD00	WR60 Cabinet,9U,600W*550D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
12	WR60-09660-SGY-31-BD00	WR60 Cabinet,9U,600W*600D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
13	WR60-12655-SGY-31-BD00	WR60 Cabinet,12U,600W*550D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
14	WR60-15655-SGY-31-BD00	WR60 Cabinet,15U,600W*550D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
15	WR60-18655-SGY-31-BD00	WR60 Cabinet,18U,600W*550D, Detachable, Glass handle lock/Toolless round lock,1PDU,6port, UK,1.5m Cable	
16	WR60-09645-SGY-33-BD00	WR60 Cabinet,9U,600W*450D, Detachable, Glass handle lock/Toolless round lock,1PDU,4port, IN,1.5m Cable	

Name Coding

WR60 - XX X XX - XXX - X X - X X XX
1 2 3 4 5 6 7 8 9

Category	1: Height	2: Width	3: Depth	4: Front Door
WR60:WR60 series	04:4U 06:6U 09:9U 12:12U 15:15U 18:18U 22:22U	6: 600mm 8: 800mm	45: 450mm 50: 500mm 55: 550mm 60: 600mm	000: None SSR: Single & Steel & Round lock SGR: Single & Glass & Round lock SMR: Single & Mesh & Round lock SSH: Single & Steel & Handle Lock SGH: Single & Glass & Handle Lock SMH: Single & Mesh & Handle Lock SGY: Single & Glass & Silver Handle Lock& orange Decorative strip
5: Side Door	6: PDU	7: Color	8: Packaging	9: Accessory
0: Without 1: Toolless type& without lock 2: Screw fixed 3: Toolless & Round lock	0: without 1:6port UK with on/off switch,1.5m cable 2:6port UK with on/off switch,2.0m cable 3:4port Indian with on/off switch,1.5m cable	B: RAL9005(Black) G: RAL7035(Grey)	D: Detachable L: Integral	00: None 01: 1*Fixed Tray 02: 1*Guide Rail

GLOBAL FOOTPRINT

**Headquarters**

Donauwörth - Germany
PROSE Technologies GmbH
 Add.: Dr.-Friedrich-Drechsler-Straße 14, 86609
 Donauwörth, Germany
 E-mail: info.eu@prosetechnologies.com

Western Europe

Dublin - Ireland
PROSE Technologies (Ireland) Limited
 Add.: 6th Floor, South Bank House, Barrow Street,
 Dublin 4 Ireland
 E-mail: Info@prosetechnologies.com

Eastern Europe & Central Asia

E-mail: info.eeca@prosetechnologies.com

North America

New Jersey - America
PROSE Technologies LLC
 Add.: 550 Clark Drive Budd Lake, NJ 07828, United
 States of America
 Tel: +1 888 840 4066
 E-mail: info.us@prosetechnologies.com

Middle East

ubai - UAE
PROSE Technologies DMCC
 Add.: 3702, Mazaya Business Avenue BB2, JLT, Dubai
 Tel: +971 4 3999168
 E-mail: info.ae@prosetechnologies.com

Africa

Nairobi - Kenya
PROSE Technologies Africa (PTY) Ltd
 Tel: +254 780440410
 E-mail: info.ke@prosetechnologies.com

Gauteng, (Johannesburg) - South Africa
PROSE Technologies Africa (PTY) Ltd
 Add.: Building 20, Cambridge Office Park, 5 Bauhina
 Road, Highveld Techno Park Centurion, Gauteng 0169,
 South Africa
 Mobile: +27 725554840
 E-mail: info.za@prosetechnologies.com

South Asia

Mumbai - India
PROSE Technologies India Private Limited
 Add.: 403-407, Eco Star, Vishveshwar Nagar,
 Goregaon East, Mumbai, India 400063
 Tel: +91 22-66453000
 E-mail: info.in@prosetechnologies.com

Pune - India
PROSE Technologies India Pvt.Ltd
 Add.: A-79, Block-A, Horizon Industrial Parks, Phase II,
 MIDC Chakan Industrial Area, Khed, Pune, India
 410501
 Tel: +91 2135-635200
 E-mail: info.in@prosetechnologies.com

Bangalore - India
PROSE Technologies India Private Limited
 Add.: No.494 East End Main Road, Jayanagar IX Block,
 Bangalore, India 560069
 E-mail: info.in@prosetechnologies.com

New Delhi - India
PROSE Technologies India Pvt.Ltd
 Add.: H-3/157, 2nd Floor, Vikas Puri, New Delhi, India
 110018
 E-mail: info.in@prosetechnologies.com

Dhaka - Bangladesh
PROSE Technologies (Bangladesh) Limited
 Add.: House-360 (2nd Floor), Lane-5 (East), Baridhara
 DOHS, Dhaka-1206, Bangladesh
 Tel: +880 1977070130
 E-mail: info.bd@prosetechnologies.com

Islamabad - Pakistan
 Add.: Unit 514, 5th Floor, ISE Towers, Islamabad,
 Pakistan
 Tel: +92 3335357733
 E-mail: info.pk@prosetechnologies.com

Sri Lanka
 Tel: +880 1977070130
 E-mail: info.lk@prosetechnologies.com

South East Asia

Selangor - Malaysia
PROSE Technology (M) Sdn. Bhd
 Add.: Unit 2-1, Level 2, The Podium, Tower 3, UOA
 Business Park, No 1, Jalan Pengaturcara U1/51a,
 Seksyen U1, 40150 Shah Alam, Selangor, Malaysia
 Tel: +60 126859319
 E-mail: info.my@prosetechnologies.com

Bangkok - Thailand
PROSE Technology (Thailand) Co., Ltd
 Add.: 349 SJ Infinite I Business Complex, 9 Floor, Room
 905, Vibhavadi Rangsit Road, Chom Phon Sun-district,
 Chatuchak District, Bangkok Province, Thailand
 Tel: +66 80 6606630
 E-mail: info.th@prosetechnologies.com

Singapore
PROSE Technologies (Singapore) Pte.Ltd
 Add.: 10 Anson Road#13-15 International Plaza
 Singapore 079903
 Tel: +6598366793
 E-mail: info.sg@prosetechnologies.com

Hanoi - Vietnam
PROSE Technologies (Vietnam) Company Limited
 Add.: Floor 15, Vinaconex 9 Building, HH-2 Block,
 Pham Hung Street, Me Tri Ward, Nam Tu Liem District,
 Hanoi, Vietnam
 Tel: +84 933086498
 E-mail: info.vn@prosetechnologies.com

Taguig - Philippines
PROSE Technologies Philippines, Inc.
 Add.: Unit 17 19th Floor Highstreet South Corporate
 Plaza Tower 1, 26th Street corner 9th Avenue, Bonifacio
 Global City, Taguig City, Philippines
 Tel: +63 27572762
 E-mail: info.ph@prosetechnologies.com

Jakarta - Indonesia
PT. PROSE Technologies Indonesia
 Add.: Plaza Sentral 6th Floor, Jalan Jenderal Sudirman
 No. 47, Jakarta 12930, Indonesia
 Tel: +62 21 57901997
 E-mail: info.id@prosetechnologies.com

East Asia

Suzhou - China
PROSE Technologies (Suzhou) Co.,Ltd
 Add.: No. 6, Shen'an Road, DianShanHu, Suzhou,
 JiangSu, China
 E-mail: Info@prosetechnologies.com

Beijing - China
PROSE Technologies (Beijing) Co.,Ltd
 E-mail: Info@prosetechnologies.com

Shanghai - China
PROSE Technologies (Shanghai) Co.,Ltd
 E-mail: Info@prosetechnologies.com

Dongguan - China
 Add.: Room 1506, building 1, No. 1, Yile Road,
 Songshanhu Park, Dongguan City, Guangdong
 Province, China
 E-mail: Info@prosetechnologies.com

Hongkong - China
PROSE Technologies Company Limited
 Add.: Unit B 13/F,Prat Commercial Building, 17-19 Prat
 Avenue, Tsimshatsui, Kowloon, HongKong, China
 Tel:+86 512 86896789 - 2921/2922
 E-mail: info.hk@prosetechnologies.com

Taiwan
 Tel: +63 2 7572762
 E-mail: info.tw@prosetechnologies.com

Oceania

New South Wales - Australia
PROSE Technologies (Australia) Pty. Ltd
 Add.: 5/13 Boundary Rd, Northmead, NSW 2152,
 Australia
 Tel: +61 2 78055523
 E-mail: info.au@prosetechnologies.com